STERIS

The **foundation** of success



Advancing care through purposeful innovation

STERIS® 7080 General Surgical Table

Empower your team in a rapidly changing world

Addressing the constantly changing complexities of modern surgery and diverse patient needs, the STERIS 7080 General Surgical Table gives your team unmatched capability and versatility, both now and in the future.

Unrivaled surgical site access and superior imaging

Designed to serve as your foundation of success, this table enhances performance with exceptional surgical site access and imaging, along with the most extensive articulating range and patient weight capacity ever offered by STERIS.



Made for today's procedures and tomorrow's opportunities

The STERIS 7080 General Surgical Table is built for a range of surgeries and is designed to keep pace with you as OR technology and accessories evolve in the years to come.

- **Cardiovascular**
- **Respiratory**
- **Bariatric**
- **Gastrointestinal**
- **Endoscopic**
- **Gynecologic**
- **Urologic**
- **Neurosurgery**
- **Ophthalmic**
- **Orthopedic procedures**

Ready for the future

This table is meant to cater to the widest variety of patients and procedures and is ready to adapt to future OR technology.

Built for the challenges you face

Count on outstanding surgical site access and the imaging capability to handle the increasingly complex cases seen by surgical teams.

Features the largest weight capacity we've ever offered

The STERIS 7080 General Surgical Table has the largest patient weight capacity of any STERIS table and is able to accommodate patients of virtually any size, supporting patients as heavy as 700 lbs (318 kg) in all postures and with full tabletop slide (unrestricted articulation).

1200 lb (544 kg)
Raise or lower in normal patient orientation

1000 lb (454 kg)
All tabletop articulations except tabletop slide in normal or reverse patient orientation

700 lb (318 kg)
All tabletop articulations including tabletop slide in normal or reverse patient orientation

Provides a wide articulating range

Table articulations can be controlled individually or in synchronous movements, rapidly enabling articulated positions for convenience and speedily returning to level for emergency situations. A single button press achieves beach chair (Fowler's) position in normal or reverse orientation.



45° Trendelenburg and
45° Reverse Trendelenburg



Flex



One button press for
Fowler's position



25° Lateral tilt
left and right



< 22"Minimum height and
> 45"Maximum height



Back up and leg down



Leg up and leg down



Tabletop slide range of 22″(547 mm) total
and 11″ (273.5 mm) to head and foot



The dual-articulating headrest improves surgical access and lets anesthesia providers tilt and raise or lower the patient's head for the clinical exposure required to intubate if necessary.

Designed for **maximum** surgical site access and imaging capability

Advanced, all-electric operation for smooth, precise movement to aid efficiency

Table articulations can be controlled individually or in synchronous movements, achieving articulated positions rapidly for convenience and speedily returning to level for emergency situations

Provides maximum surgical site access with an **86.5” imaging window** and full-body C-arm imaging

Interactive and informative **LCD display screen** aids workflow



Removable, dual-articulating headrest enhances access

Empowers comfortable and ergonomic positioning for the surgeon through the 22” powered longitudinal slide that facilitates surgical site access (11” to head and foot)



Ergonomic, wired hand control offers a smart and intuitive layout for quick navigation



Designed to support your infection control efforts, the table has smooth, easy-to-clean surfaces and also features optional STERIS PRS pads that are VELCRO-free to promote reduced risk of infectious disease transmission

1200 lb (544 kg)
Raise or lower in normal patient orientation

1000 lb (454 kg)
All tabletop articulations except tabletop slide in normal or reverse patient orientation

700 lb (318 kg)
All tabletop articulations including tabletop slide in normal or reverse patient orientation



Quiet, smooth electromechanical support in all postures and with full tabletop slide (unrestricted articulation)

Removable leg rest and split leg-rests enhance access

Comfortable and ergonomic positioning throughout the procedure includes maximum foot access for the surgeon.

Integrated X-ray channel below the tabletop allows for easy loading of mobile X-ray cassettes along the entire span of the table





7080 Surgical Table total body imaging
86.5” (2,197 mm) x 16-15/16” (430 mm)

Table slide to head (11”)
Width: 16-15/16” (430 mm)
Length: 44.0” (1,118 mm)

Table slide to foot (11”)
Width: 16-15/16” (430 mm)
Length: 42.5” (1,079 mm)



Provides the **largest imaging window** we’ve ever offered

A radiolucent tabletop and superb slide provide unprecedented size in a STERIS imaging window. That means outstanding access for the C-arm and surgical team without time-consuming patient reorientation. The generous imaging area permits clear, high-quality images crucial to today’s minimally invasive, cardiothoracic, orthopedic, and neurosurgical procedures.

Full-body C-arm imaging allows access from top of sternum to toes and from femoral artery to top of the head. This large imaging area is designed for the procedures of today and tomorrow.



Offers **intuitive, intelligent control**

The STERIS 7080 General Surgical Table features an intuitive hand control and LCD control panel display for patient positioning at your fingertips, and a highly functional task light for ease.

The ergonomically designed wired hand control offers an intelligent layout for ease of operation.



An interactive and informative LCD control panel display screen enables smooth workflow

LCD provides information on basic patient status and potential table section interference through the auto limit sensor function and service diagnostics

Backlit screen for clear viewing in darkened rooms

Dedicated buttons offer instant access to smooth sectional articulation, return-to-level, floor lock activation and patient positioning (Trendelenburg, height, tilt, level and stop)

Colored buttons offer quick and confident identification of the most frequently used functions

Auto-collision sensors will stop sectional collisions and suggest an alternative articulation

Convenient task light for locating items on and under the surgical table when OR lights are low





Back-up control panel is located at the base of the table

Brings incredible versatility











OVER 100 YEARS OF EXPERIENCE

Built on the 100+ year legacy of STERIS, this innovative table represents the pinnacle of STERIS ingenuity.

A wide range of **extensions and accessories**



TrenGuard™ & Power-lift Stirrups



Split legs



Urology extension



Urology transfer board



Imaging Extension



Bariatric Width Extenders



Orthopedic extension



PowerLift Beach Chair & foot extension

Delivers STERIS quality, **every time**

Count on STERIS reliability and quality in every table. The STERIS 7080 General Surgical Table is supported by an experienced team of professionals to help keep your OR state of the art.

Technical specifications

Tabletop Length	83.2" (2111 mm)
Tabletop Width	21.6" (548 mm)
Tabletop Width with Siderails	23.5" (597 mm)
Base Length	44.5" (1131 mm)
Base Width	23.1" (597 mm)
Base Height	7.2" (183 mm)
Height Range	22" to 45" (559 mm to 1136 mm)
Tabletop Slide Range	21.6" (547 mm) total; 10.8" (273.5 mm) to Head & Foot
Trendelenburg / Reverse Trendelenburg	45° / 45°
Lateral Tilt (L/R)	+/- 25°
Head Section	Tilt Up / Down +/- 90° Height Up 8.5" (216 mm)
Back Section	+90° / -50°
Leg Section	+80° / -105°
Flex / Reflex	130° / 90°
Kidney Elevator	Height Up 4" (102 mm)
Backup Control (Keypad)	YES
Perineal Cutout	YES
Product Weight (unloaded)	770 lbs (349 kg)
Patient Weight Capacity	• 1200 lb (544 kg) Raise or lower in normal patient orientation • 1000 lb (454 kg) All tabletop articulations except tabletop slide in normal or reverse patient orientation • 700 lb (318 kg) All tabletop articulations including tabletop slide in normal or reverse patient orientation

For more information, contact your STERIS representative or visit **www.steris.com**

Document # M13300EN.2024-04, Rev.B
©2024 STERIS
All rights reserved.

VELCRO® is a registered trademark of Velcro BVBA. Used with permission.

STERIS

5960 Heisley Road
Mentor, OH 44060-1834 • USA
440-354-2600 • 800-548-4873
www.steris.com